



THE DUKE

1875 SQ. FT. ▶ ELEV. A & B


▶ 18' STREET TOWNHOMES




BASEMENT ELEV. A



GROUND FLOOR ELEV. A



MAIN FLOOR ELEV. A







UPPER FLOOR ELEV. A

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARIION Warranty Corporation's official method for the calculation of floor area. Actual usable floor space and room dimensions may vary from the stated floor area. Railings on front porch only where required by O.B.C. Locations of furnace, hot water tank, HRV, sump pump (if applicable), posts and beams may vary and are to be determined by Vendor and Architect. Purchasers shall be deemed to accept the same. All images and renderings are artist concept only and subject to change. Side windows only if siting permits. E. & O. E. 1802

THE YALE CORNER 2420 SQ. FT. ELEV. A & B

18' STREET TOWNHOMES




The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Actual usable floor space and room dimensions may vary from the stated floor area. Railings on front porch only where required by O.B.C. Locations of furnace, hot water tank, HRV, sump pump (if applicable), posts and beams may vary and are to be determined by Vendor and Architect. Purchasers shall be deemed to accept the same. All images and renderings are artist concept only and subject to change. Side windows only if siting permits. E & O. E. 1805_CORNER


THE REGIS

2045 SQ. FT. ▶ ELEV. A
 2035 SQ. FT. ▶ ELEV. B


▶ 18' STREET TOWNHOMES




BASEMENT
ELEV. A



GROUND FLOOR
ELEV. A



MAIN FLOOR
ELEV. A







UPPER FLOOR
ELEV. A

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARIION Warranty Corporation's official method for the calculation of floor area. Actual usable floor space and room dimensions may vary from the stated floor area. Railings on front porch only where required by O.B.C. Locations of furnace, hot water tank, HRV, sump pump (if applicable), posts and beams may vary and are to be determined by Vendor and Architect; Purchasers shall be deemed to accept the same. All images and renderings are artist concept only and subject to change. Side windows only if siting permits. E. & O. E. 1803

THE SUFFIELD

2255 SQ. FT. ▶ ELEV. A

▶ 18' STREET TOWNHOMES




The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Actual usable floor space and room dimensions may vary from the stated floor area. Railings on front porch only where required by O.B.C. Locations of furnace, hot water tank, HRV, sump pump (if applicable), posts and beams may vary and are to be determined by Vendor and Architect. Purchasers shall be deemed to accept the same. All images and renderings are artist concept only and subject to change. Side windows only if siting permits. E. & O. E. 1804


THE SUFFIELD END

2320 SQ. FT. ▶ ELEV. A
 2315 SQ. FT. ▶ ELEV. B


▶ 18' STREET TOWNHOMES




END CONDITION
 BASEMENT
 ELEV. A



END CONDITION
 GROUND FLOOR
 ELEV. A



END CONDITION
 MAIN FLOOR
 ELEV. A



END CONDITION (4 BEDROOM)
 UPPER FLOOR
 ELEV. A


The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Actual usable floor space and room dimensions may vary from the stated floor area. Railings on front porch only where required by O.B.C. Locations of furnace, hot water tank, HRV, sump pump (if applicable), posts and beams may vary and are to be determined by Vendor and Architect, Purchasers shall be deemed to accept the same. All images and renderings are artist concept only and subject to change. Side windows only if siting permits. E & O. E. 1804_END





THE BROWNING CORNER

2280 SQ. FT. ▶ ELEV. A
 2260 SQ. FT. ▶ ELEV. B


▶ 20' LANE TOWNHOMES




OPT. 4 BEDROOM
 UPPER FLOOR
 ELEV. A



GROUND FLOOR
 ELEV. A



MAIN FLOOR
 ELEV. A



UPPER FLOOR
 ELEV. A


OPTIONAL
 4 BEDROOM LAYOUT
 AVAILABLE

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Actual usable floor space and room dimensions may vary from the stated floor area. Railings on front porch only where required by O.B.C. Locations of furnace, hot water tank, HRV, sump pump (if applicable), posts and beams may vary and are to be determined by Vendor and Architect. Purchasers shall be deemed to accept the same. All images and renderings are artist concept only and subject to change. Side windows only if siting permits. E. & O. E. LT_2005_CORNER


THE BELMONT

1920 SQ. FT. ▶ ELEV. A
 1925 SQ. FT. ▶ ELEV. B


▶ 20' LANE TOWNHOMES




BASEMENT
ELEV. A & B



GROUND FLOOR
ELEV. A



MAIN FLOOR
ELEV. A




UPPER FLOOR
ELEV. A

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARIION Warranty Corporation's official method for the calculation of floor area. Actual usable floor space and room dimensions may vary from the stated floor area. Railings on front porch only where required by O.B.C. Locations of furnace, hot water tank, HRV, sump pump (if applicable), posts and beams may vary and are to be determined by Vendor and Architect. Purchasers shall be deemed to accept the same. All images and renderings are artist concept only and subject to change. Side windows only if siting permits. E. & O. E. LT_2002


THE HOPKINS

1850 SQ. FT. ▶ ELEV. A


▶ 20' LANE TOWNHOMES




BASEMENT
ELEV. A



GROUND FLOOR
ELEV. A



MAIN FLOOR
ELEV. A




UPPER FLOOR
ELEV. A

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Actual usable floor space and room dimensions may vary from the stated floor area. Railings on front porch only where required by O.B.C. Locations of furnace, hot water tank, HRV, sump pump (if applicable), posts and beams may vary and are to be determined by Vendor and Architect. Purchasers shall be deemed to accept the same. All images and renderings are artist concept only and subject to change. Side windows only if siting permits. E. & O. E. LT_2001


THE DURHAM

2055 SQ. FT. ▶ ELEV. A
 2060 SQ. FT. ▶ ELEV. B


▶ 20' LANE TOWNHOMES




BASEMENT
ELEV. A & B



GROUND FLOOR
ELEV. A



MAIN FLOOR
ELEV. A




UPPER FLOOR
ELEV. A


The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Actual usable floor space and room dimensions may vary from the stated floor area. Railings on front porch only where required by O.B.C. Locations of furnace, hot water tank, HRV, sump pump (if applicable), posts and beams may vary and are to be determined by Vendor and Architect. Purchasers shall be deemed to accept the same. All images and renderings are artist concept only and subject to change. Side windows only if siting permits. E. & O. E. LT_2003

THE WESLEY END 2170 SQ. FT. ELEV. A & B


▶ 20' LANE TOWNHOMES




OPT. 4 BEDROOM
UPPER FLOOR
ELEV. A




BASEMENT
ELEV. A & B



GROUND FLOOR
ELEV. A



MAIN FLOOR
ELEV. A



UPPER FLOOR
ELEV. A


OPTIONAL
4 BEDROOM LAYOUT
AVAILABLE

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Actual usable floor space and room dimensions may vary from the stated floor area. Railings on front porch only where required by O.B.C. Locations of furnace, hot water tank, HRV, sump pump (if applicable), posts and beams may vary and are to be determined by Vendor and Architect. Purchasers shall be deemed to accept the same. All images and renderings are artist concept only and subject to change. Side windows only if siting permits. E. & O. E. LT_2004_END


THE BERKLEY

1805 SQ. FT. ➤ ELEV. A
1800 SQ. FT. ➤ ELEV. B


➤ 20' STREET TOWNHOMES




BASEMENT
ELEV. A & B



MAIN FLOOR
ELEV. A



UPPER FLOOR
ELEV. A



OPT. 4 BEDROOM
UPPER FLOOR
ELEV. A





OPTIONAL
4 BEDROOM LAYOUT
AVAILABLE

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Actual usable floor space and room dimensions may vary from the stated floor area. Railings on front porch only where required by O.B.C. Locations of furnace, hot water tank, HRV, sump pump (if applicable), posts and beams may vary and are to be determined by Vendor and Architect. Purchasers shall be deemed to accept the same. All images and renderings are artist concept only and subject to change. Side windows only if siting permits. E. & O. E. 2001

THE CARNEGIE

1905 SQ. FT. ▶ ELEV. A & B

▶ 20' STREET TOWNHOMES




OPTIONAL
4 BEDROOM LAYOUT
AVAILABLE

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARIION Warranty Corporation's official method for the calculation of floor area. Actual usable floor space and room dimensions may vary from the stated floor area. Railings on front porch only where required by O.B.C. Locations of furnace, hot water tank, HRV, sump pump (if applicable), posts and beams may vary and are to be determined by Vendor and Architect, Purchasers shall be deemed to accept the same. All images and renderings are artist concept only and subject to change. Side windows only if siting permits. E. & O. E. 2002


THE PRINCETON

2010 SQ. FT. ▶ ELEV. A
 2005 SQ. FT. ▶ ELEV. B


▶ 20' STREET TOWNHOMES




BASEMENT ELEV. A



MAIN FLOOR ELEV. A



UPPER FLOOR ELEV. A



OPT. 4 BEDROOM UPPER FLOOR ELEV. A




OPTIONAL 4 BEDROOM LAYOUT AVAILABLE

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Actual usable floor space and room dimensions may vary from the stated floor area. Railings on front porch only where required by O.B.C. Locations of furnace, hot water tank, HRV, sump pump (if applicable), posts and beams may vary and are to be determined by Vendor and Architect. Purchasers shall be deemed to accept the same. All images and renderings are artist concept only and subject to change. Side windows only if siting permits. E. & O. E. 2003

THE VILLANOVA_{END}

2200 SQ. FT. ➤ ELEV. A
 2205 SQ. FT. ➤ ELEV. B


20' STREET TOWNHOMES




The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Actual usable floor space and room dimensions may vary from the stated floor area. Railings on front porch only where required by O.B.C. Locations of furnace, hot water tank, HRV, sump pump (if applicable), posts and beams may vary and are to be determined by Vendor and Architect. Purchasers shall be deemed to accept the same. All images and renderings are artist concept only and subject to change. Side windows only if siting permits. E. & O. E. 2004END

THE WATERFORD CORNER 2330 SQ. FT. ▶ ELEV. B


▶ 20' STREET TOWNHOMES



MAIN FLOOR
ELEV. B



UPPER FLOOR
ELEV. B



BASEMENT
ELEV. B

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Actual usable floor space and room dimensions may vary from the stated floor area. Railings on front porch only where required by O.B.C. Locations of furnace, hot water tank, HRV, sump pump (if applicable), posts and beams may vary and are to be determined by Vendor and Architect, Purchasers shall be deemed to accept the same. All images and renderings are artist concept only and subject to change. Side windows only if siting permits. E. & O. E. 2005COR